[ARCHIWUM] Ręczna instalacja repozytorium EPEL (Extra Packages for Enterprise Linux)

> **Strona zarchiwizowana.** Treść została wchłonięta i rozbudowana. Aktualna wersja: Repozytoria: konfiguracja, EPEL, priorytety. Ta strona zostaje wyłącznie dla historii.

EPEL (Extra Packages for Enterprise Linux) to repozytorium, które dostarcza dodatkowe pakiety oprogramowania, które nie są dostępne w oficjalnych repozytoriach Red Hat Enterprise Linux (RHEL) oraz jego klonów, takich jak CentOS i Rocky Linux.

Komendy wykonujemy w CLI bash bądź sh jako user z uprawnieniami sudo / root.

Najpierw oczywiście sprawdzamy podstawową komendę:

```
dnf install epel-release
```

Dla niektórych dystrybucji warto doinstalować dodatkowe repozytorium **CBR (CodeReady Builder).**

Red Hat Enterprise Linux 9:

```
subscription-manager repos --enable codeready-builder-for-rhel-9-$(arch)-rpms
dnf install https://dl.fedoraproject.org/pub/epel/epel-release-latest-9.noarch.rpm
```

Rocky Linux 9:

```
dnf config-manager --set-enabled crb
dnf install epel-release
```

RHEL 8:

```
subscription-manager repos --enable codeready-builder-for-rhel-8-$(arch)-rpms
dnf install https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm
```

Rocky Linux 8:

```
dnf config-manager --set-enabled powertools
dnf install epel-release
```

RHEL 7:

```
subscription-manager repos --enable rhel-*-optional-rpms \
                           --enable rhel-*-extras-rpms \
                           --enable rhel-ha-for-rhel-*-server-rpms
yum install https://dl.fedoraproject.org/pub/epel/epel-release-latest-7.noarch.rpm
subscription-manager repos --disable=rhel-7-server-eus-optional-rpms
```

CentOS 7:

```
yum install epel-release
```

Revision #2
Created 2025-03-12 20:10:01 UTC by Tomasz Konieczny
Updated 2026-09-18 07:03:02 UTC by Tomasz Konieczny